



成光工業
フスバー直線タイプ

S B - T - W - L - M


板厚 幅 長さ タップ径




寸法			タップ数	断面積	許容電流
T (板厚)	W (幅)	L (長さ)			
3	10	125	5	30	75
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		
3	12	125	5	36	75
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		
3	15	125	5	45	75
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		



寸法			タップ数	断面積	許容電流
T (板厚)	W (幅)	L (長さ)			
3	20	125	5	60	100
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		
3	25	125	5	75	125
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		
3	30	125	5	90	175
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		



寸法			タップ数	断面積	許容電流
T (板厚)	W (幅)	L (長さ)			
3	40	125	5	120	200
		250	10		
		375	15		
		500	20		
		625	25		
		750	30		
		875	35		
		1,000	40		
		1,125	45		
		1,250	50		
		1,375	55		
		1,500	60		



寸法			タップ数	断面積	許容電流
T (板厚)	W (幅)	L (長さ)			
3	50	125	10	150	250
		250	20		
		375	30		
		500	40		
		625	50		
		750	60		
		875	70		
		1,000	80		
		1,125	90		
		1,250	100		
		1,375	110		
		1,500	120		