

SEM

直線タイプ メッキ処理あり T4







寸法		
T(板厚)	W(幅)	L(長さ)
4	10	125
		250
		375
		500
		625
		750
		875
		1,000
		1,125
		1,250
		1,375
		1,500
		125
		250
		375 500
		625
	12	750
4		875
		1,000
		1,125
		1,250
		1,375
		1,500
	15	125
		250
		375
		500
		625
4		750
4		875
		1,000
		1,125
		1,250
		1,375
		1,500

寸法		
T(板厚)	W(幅)	L (長さ)
4		125
		250
	20	375
		500
		625
		750
		875
		1,000
		1,125
		1,250
		1,375
		1,500
		125
		250
		375
	25	500
		625
4		750
4		875
		1,000
		1,125
		1,250
		1,375
		1,500
	30	125
		250
		375
		500
		625
4		750
4		875
		1,000
		1,125
		1,250
		1,375
		1,500

SEM

直線タイプ メッキ処理あり T4





寸法			
T(板厚)	W (幅)	L (長さ)	
4	40	125	
		250	
		375	
		500	
		625	
		750	
		875	
		1,000	
		1,125	
		1,250	
		1,375	
		1,500	
		125	
		250	
		375	
	50	500	
4		625	
		750	
		875	
		1,000	
		1,125 1,250	
		1,230	
		1,500	
	60	125	
		250	
		375	
		500	
		625	
,		750	
4		875	
		1,000	
		1,125	
		1,250	
		1,375	
		1,500	